


**In the claims:**

1. (Twice amended) A compound of Formula I:



wherein:

R<sup>1a</sup> and R<sup>1b</sup> are independently selected from:

- 1) hydrogen,
- 2) unsubstituted or substituted C<sub>1</sub>-C<sub>10</sub> alkyl,
- 3) OR<sup>3</sup>,
- 4) N(R<sup>3</sup>)<sub>2</sub>,
- 5) unsubstituted or substituted aryl,
- 6) unsubstituted or substituted heterocycle, and
- 7) unsubstituted or substituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl;

R<sup>1c</sup> is independently selected from:

- 1) hydrogen,
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 3) OR<sup>3</sup>,
- 4) N(R<sup>3</sup>)<sub>2</sub>,
- 5) C<sub>3</sub>-C<sub>10</sub> cycloalkyl,
- 6) aryl, and
- 7) heterocycle;

said alkyl, cycloalkyl, aryl and heterocycle is optionally substituted with at least one substituent selected from R<sup>7</sup>;

R<sup>2</sup> is independently selected from:

- 1) N(R<sup>3</sup>)<sub>2</sub>, and
- 2) OR<sup>3</sup>;


R<sup>3</sup> is independently selected from:

- 1) hydrogen, and
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl;

said alkyl is optionally substituted ~~with at least one substituent selected from R<sup>7</sup> with OR, where~~  
R is H or C<sub>1</sub>-C<sub>10</sub> alkyl;

R<sup>5</sup> is independently selected from:

- 1) ~~hydrogen,~~
- 2) halogen,
- 3) -(CR<sup>1c2</sup>)<sub>n</sub>OR<sup>3</sup>,
- 4) -(CR<sup>1c2</sup>)<sub>n</sub>R<sup>6</sup>,
- 5) -C(O)OR<sup>3</sup>,
- 6) -C(O)R<sup>3</sup>,
- 7) -C≡CR<sup>3</sup>,
- 8) -R<sup>3</sup>C=C(R<sup>3</sup>)<sub>2</sub>,
- 9) -OS(O)<sub>m</sub>R<sup>6</sup>,
- 10) -NO<sub>2</sub>,
- 11) -(CR<sup>1c2</sup>)<sub>n</sub>N(R<sup>3</sup>)<sub>2</sub>,
- 12) -N(R<sup>3</sup>)C(O)R<sup>3</sup>,
- 13) -N(R<sup>3</sup>)S(O)<sub>m</sub>R<sup>6</sup>,
- 14) -(CR<sup>1c2</sup>)<sub>n</sub>NR<sup>3</sup>(CR<sup>1c2</sup>)<sub>n</sub>C(O)NR<sup>3</sup><sub>2</sub>,
- 15) -O(CR<sup>1c2</sup>)<sub>n</sub>C(O)N(R<sup>3</sup>)<sub>2</sub>,
- 16) -O(CR<sup>1c2</sup>)<sub>n</sub>C(O)OR<sup>3</sup>,
- 17) -NR<sup>3</sup>(CR<sup>1c2</sup>)<sub>n</sub>N(R<sup>3</sup>)<sub>2</sub>,
- 18) -(CR<sup>1c2</sup>)<sub>n</sub>NR<sup>3</sup>R<sup>6</sup>OR<sup>3</sup>,
- 19) -S(O)<sub>m</sub>R<sup>6</sup>,
- 20) -S(O)<sub>m</sub>N(R<sup>3</sup>)<sub>2</sub>,
- 21) -CN,
- 22) -(CR<sup>1c2</sup>)<sub>n</sub>N(R<sup>3</sup>)(CR<sup>1c2</sup>)<sub>n</sub>R<sup>6</sup>, and



R<sup>6</sup> is independently selected from:

- 1) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 2) C<sub>3</sub>-C<sub>10</sub> cycloalkyl,
- 3) aryl, and
- 4) heterocycle;

said, alkyl, cycloalkyl, aryl and heterocycle is optionally substituted with at least one substituent selected from R<sup>7</sup>;

R<sup>7</sup> is independently selected from:

- 1) hydrogen,
- 2) unsubstituted or substituted C<sub>1</sub>-C<sub>10</sub> alkyl,
- 3) unsubstituted or substituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl,
- 4) unsubstituted or substituted aryl,
- 5) halogen,
- 6) OR<sup>3</sup>,
- 7) CF<sub>3</sub>,
- 8) unsubstituted or substituted heterocycle,
- 9) S(O)<sub>m</sub>N(R<sup>3</sup>)<sub>2</sub>,
- 10) C(O)OR<sup>3</sup>,
- 11) C(O)R<sup>3</sup>,
- 12) CN,
- 13) C(O)N(R<sup>3</sup>)<sub>2</sub>,
- 14) N(R<sup>3</sup>)C(O)R<sup>3</sup>,
- 15) S(O)<sub>m</sub>R<sup>6</sup>, and
- 16) NO<sub>2</sub>;

Y and Z are independently selected from:

- 1) hydrogen,
- 2) R<sup>6</sup>,
- 3) OR<sup>3</sup>,
- 4) N(R<sup>3</sup>)<sub>2</sub>,
- 5) C(O)OR<sup>3</sup>,

- 6)  $C(O)N(R^3)_2$ ,
- 7)  $C(O)R^3$ ,
- 8) halogen,
- 9)  $N(R^3)(CR^{1c}_2)_n C(O)N(R^3)_2$ ,
- 10)  $S(O)_m N(R^3)_2$ ,
- 11)  $N(R^3)C(O)OR^3$ ,
- 12)  $N(R^3)S(O)_m R^6$ ,
- 13)  $N(R^3)C(O)R^3$ ,
- 14)  $N(R^3)(CR^{1c}_2)_n R^3$ ,
- 15)  $S(O)_m R^6$ ,
- 16)  $R^6 S(O)_m N(R^3)_2$ ,
- 17)  $R^6 S(O)_m R^6$ ,
- 18)  $N(R^3) S(O)_m (CR^{1c}_2)_n R^6$ ,
- 19)  $N(R^3)S(O)_m R^6 OR^3$ ,
- 20)  $N(R^3)C(O)N(R^3)_2$ ,
- 21)  $N(R^3)C(O)R^6 OR^3$ ,
- 22)  $N(R^3)(CR^{1c}_2)_n R^6 OR^3$ ,
- 23)  $N(R^3)OR^3$ , and
- 24)  $N(R^3)S(O)_m R^6 NO_2$ ;

m is independently 0, 1 or 2;

n is independently 0 to 6;

s is 0 to 6;

t is 0 to 6;

w is 0 to 4;

or a pharmaceutically acceptable salt or stereoisomer thereof.

2. (Twice amended) The compound according to Claim 1,

wherein:

R<sup>1a</sup> and R<sup>1b</sup> are independently selected from:

- 1) hydrogen,
- 2) unsubstituted or substituted C<sub>1</sub>-C<sub>10</sub> alkyl,

- 3) unsubstituted or substituted aryl,
- 4) unsubstituted or substituted heterocycle, and
- 5)  $OR^3$ ;

$R^{1c}$  is independently selected from:

- 1) hydrogen,
- 2)  $C_1$ - $C_{10}$  alkyl,
- 3)  $OR^3$ ,
- 4)  $N(R^3)_2$ ,
- 5) aryl, and
- 6) heterocycle;

said alkyl, aryl and heterocycle is optionally substituted with at least one substituent selected from  $R^7$ ;

$R^2$  is:

- 1)  $OR^3$ , or
- 2)  $N(R^3)_2$ ;

$R^3$  is independently selected from:

- 1) hydrogen, and
- 2)  $C_1$ - $C_{10}$  alkyl;

said alkyl is optionally substituted with ~~at least one substituent selected from  $R^7$~~   $OR$ , where  $R$  is  $H$  or  $C_1$ - $C_{10}$  alkyl;

$R^5$  is independently selected from:

- 1) ~~hydrogen~~,
- 2) halogen,
- 3)  $-OR^3$ ,
- 4)  $-C(O)OR^3$ ,
- 5)  $-C(O)R^3$ ,
- 6)  $-C\equiv CR^3$ ,
- 7)  $-R^3C=C(R^3)_2$ ,
- 8)  $-OS(O)_mR^6$ ,
- 9)  $-NO_2$ ,

- 10)  $-N(R^3)_2$ ,
- 11)  $-N(R^3)C(O)R^3$ ,
- 12)  $-N(R^3)S(O)_mR^6$ ,
- 13)  $-(CR^{1c}_2)_nNR^3(CR^{1c}_2)_nC(O)NR^3_2$ ,
- 14)  $-O(CR^{1c}_2)_nC(O)N(R^3)_2$ ,
- 15)  $-O(CR^{1c}_2)_nC(O)OR^3$ ,
- 16)  $-NR^3(CR^{1c}_2)_nN(R^3)_2$ ,
- 17)  $-(CR^{1c}_2)_nNR^3R^6OR^3$ ,
- 18)  $-S(O)_mR^6$ ,
- 19)  $-S(O)_mN(R^3)_2$ ,
- 20)  $-CN$ , and
- 21)  $-(CR^{1c}_2)_nN(R^3)(CR^{1c}_2)_nR^6$ ;

or a pharmaceutically acceptable salt or stereoisomer thereof.

3. (Amended) The compound according to Claim 2,

wherein:

$R^{1a}$  and  $R^{1b}$  are independently selected from hydrogen, unsubstituted or substituted  $C_1$ - $C_{10}$  alkyl,  $OR^3$ , and unsubstituted or substituted aryl;

$R^{1c}$  is independently selected from:

- 1) hydrogen,
- 2)  $C_1$ - $C_{10}$  alkyl,
- 3)  $OR^3$ , and
- 4) aryl;

said alkyl and aryl is optionally substituted with at least one substituent selected from  $R^7$ ;

$R^2$  is:

- 1)  $OR^3$ , or
- 2)  $N(R^3)_2$ ;

$R^5$  is independently selected from:

- 1) ~~hydrogen~~,
- 2)  $(CR^{1c}_2)_nR^6$ ,

- 3) halogen,
- 4)  $-(CR^{1c_2})_nOR^3$ ,
- 5)  $-C(O)OR^3$ ,
- 6)  $-C(O)R^3$ ,
- 7)  $-C\equiv CR^3$ ,
- 8)  $-R^3C=C(R^3)_2$ ,
- 9)  $(CR^{1c_2})_nC(O)N(R^3)_2$ , and
- 10)  $(CR^{1c_2})_nN(R^3)_2$ ;

Y is:

- 1) hydrogen,
- 2)  $R^6$ ,
- 3)  $OR^3$ ,
- 4)  $C(O)R^3$ ,
- 5)  $C(O)N(R^3)_2$ , or
- 6)  $N(R^3)_2$ ;

Z is:

- 1) hydrogen,
- 2)  $R^6$ ,
- 3)  $OR^3$ ,
- 4)  $N(R^3)_2$ ,
- 5)  $C(O)OR^3$ ,
- 6)  $C(O)N(R^3)_2$ ,
- 7)  $C(O)R^3$ ,
- 8) halogen,
- 9)  $N(R^3)(CR^{1c_2})_nC(O)N(R^3)_2$ ,
- 10)  $S(O)_mN(R^3)_2$ ,
- 11)  $N(R^3)C(O)OR^3$ ,
- 12)  $N(R^3)S(O)_mR^6$ ,
- 13)  $N(R^3)C(O)R^3$ ,
- 14)  $N(R^3)(CR^{1c_2})_nR^3$ , or
- 15)  $S(O)_mR^6$ ;

n is independently 0 to 4;

or a pharmaceutically acceptable salt or stereoisomer thereof.

4. (Previously amended) A compound selected from:

5-Chloro-3-[(methylamino)sulfonyl]-1*H*-indole-2-carboxamide;

3-(Aminosulfonyl)-5-chloro-1*H*-indole-2-carboxamide;

5-Bromo-3-({methyl[(5-oxo-4,5-dihydro-1*H*-1,2,4-triazol-3-yl)methyl] amino} sulfonyl)-1*H*-indole-2-carboxamide;

3-({[2-(Aminosulfonyl)ethyl]amino} sulfonyl)-5-iodo-1*H*-indole-2-carboxamide;

3-[(Dimethylamino)sulfonyl]-5-methoxy-1*H*-indole-2-carboxamide;

5-Chloro-3-{{(2-phenethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Chloro-3-[(benzylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(cyclohexylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(1-naphthylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-{{(3-phenylpropyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Chloro-3-[(ethylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(propylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(butylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(pentylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-{{[ethyl(methyl)amino}sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(diethylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(*iso*-propylamino)sulfonyl]-1*H*-indole-2-carboxamide;



5-Chloro-3-[(cyclobutylamino)sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[(cyclopentylamino)sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[[ (4-chlorophenyl)amino] sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[[ (3-chlorophenyl)amino] sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[[ (2-chlorophenyl)amino] sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[[ (4-chlorophenyl)methylamino] sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[[ (3-chlorophenyl)methylamino] sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[[ (2-chlorophenyl)methylamino] sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[(*tert*-butylamino)sulfonyl]-1*H*-indole-2-carboxamide;  
(±)-5-Chloro-3-[(pyrrolidin-3-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[(piperidin-4-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[[ (1-methyl-1*H*-benzimidazol-2-yl)amino]sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[(benzamideamino)sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[(5-aminotetrazole)sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[(pyridin-4-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[(pyridin-2-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[[ (2-methoxyethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;  
5-Chloro-3-[(dimethylamino)sulfonyl]-1*H*-indole-2-carboxamide;  
3-([2-(Aminosulfonyl)ethyl]amino)sulfonyl]-5-chloro-1*H*-indole-2-carboxamide ;

5-Chloro-3-{{[(2-hydroxyethyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

5-Chloro-3-{{[(2-morpholin-4-ylethyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

5-Chloro-3-{{[(2-methoxyethyl)(methyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-[[{2-(2-acetamide)amino]ethyl}amino]sulfonyl]-1*H*-indole-2-carboxamide;

*N*-{{2-(Aminocarbonyl)-5-bromo-1*H*-indol-3-yl]sulfonyl}-*N*-methyl-β-alaninamide;

5-Bromo-3-[(methylamino)sulfonyl]-1*H*-indole-2-carboxamide;

Ethyl *N*-{{2-(aminocarbonyl)-5-bromo-1*H*-indol-3-yl]sulfonyl} *N*-methyl-β-alaninate;

5-Bromo-3-{{cyclopropyl(methyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

(±)-5-Bromo-3-{{methyl(tetrahydrofuran-3-yl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-({methyl[2-(1*H*-1,2,4-triazol-1-yl)ethyl]amino} sulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-{{methyl(tetrahydro-2*H*-pyran-4-yl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

(±)-5-Bromo-3-{{[(1,4-dioxan-2-ylmethyl)(methyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

3-({[4-(Aminosulfonyl)benzyl]amino} sulfonyl)-5-bromo-1*H*-indole-2-carboxamide;

5-Chloro-3-{{*iso*-propyl(2-methoxyethyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

3-{{[(2-Bromoethyl)(2-hydroxyethyl)amino]sulfonyl}-5-hydroxy-1*H*-indole-2-carboxamide;

3-{{[(2-Bromoethyl)(2-hydroxyethyl)amino]sulfonyl}-5-methoxy-1*H*-indole-2-carboxamide;

5-Chloro-3-{{methoxy(methyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

(±)-5-Chloro-3-{{[(2,3-dihydroxypropyl)(methyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

5-Chloro-3-{{[(2-hydroxyethyl)(methyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

*N*-{{2-(Aminocarbonyl)-5-chloro-1*H*-indol-3-yl]sulfonyl}-*N*-methylglycine;

*N*-{{2-(Aminocarbonyl)-5-chloro-1*H*-indol-3-yl]sulfonyl}-*N*-methylglycinamide;

5-Bromo-3-({[4-(methylsulfonyl)benzyl]amino} sulfonyl)-1*H*-indole-2-carboxamide;

3-[(2-[4-(Aminosulfonyl)phenyl]ethyl)amino)sulfonyl]-5-bromo-1*H*-indole-2-carboxamide;

3-[(5-Amino-5-oxopentyl)amino)sulfonyl]-5-bromo-1*H*-indole-2-carboxamide;

3-[(2-(Aminosulfonyl)ethyl)amino)sulfonyl]-5-bromo-1*H*-indole-2-carboxamide;

*tert*-Butyl 2-[(2-(aminocarbonyl)-5-bromo-1*H*-indol-3-yl)sulfonyl]amino)-ethylcarbamate;

3-[(2-Aminoethyl)amino)sulfonyl]-5-bromo-1*H*-indole-2-carboxamide;

5-Bromo-3-[(ethylsulfonylamino)ethylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Iodo-3-[(2-[(4-methoxyphenyl)sulfonyl]amino)ethyl)amino)sulfonyl]-1 *H*-indole-2-carboxamide;

5-Bromo-3-[(methoxy(methyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Fluoro-3-[(2-[(4-methoxyphenyl)sulfonyl]amino)ethyl)(methyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-nitrophenyl)sulfonyl]amino)ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-methoxyphenyl)amino]carbonyl)amino)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(3-[(4-chlorophenyl)thio]propyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(3-[(4-chlorophenyl)thio]propyl)amino)sulfonyl]-1 *H*-indole-2-carboxamide;

5-Bromo-3-[(3-[(4-chlorophenyl)sulfonyl]propyl)amino)sulfonyl]-1 *H*-indole-2-carboxamide;

5-Bromo-3-[(propylsulfonylamino)ethylamino)sulfonyl]-1*H*-indole-2-carboxamide hydrochloride;

5-Bromo-3-{{(2-{{(4-methoxyphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(phenylsulfonyl)amino]ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(methylsulfonyl)amino]ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

3-[(2-[(Benzylsulfonyl)amino]ethyl)amino)sulfonyl]-5-bromo-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(2-{{(3-methoxyphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(2-{{(2,5-dimethoxyphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(2-{{(5-bromo-2-methoxyphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-((2-((2-(trifluoromethoxy)phenyl)sulfonyl)amino)ethyl)amino)sulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(2-{{(2-methoxy-5-methylphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(2-{{(4-cyanophenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(2-{{(4-chlorophenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(2-{{(3,4-dimethoxyphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-[(3-[(phenylsulfonyl)amino]propyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-{[(3-[(4-methoxyphenyl)sulfonyl]amino)propyl]amino)sulfonyl}-1*H*-indole-2-carboxamide;

3-[(3-[(Benzylsulfonyl)amino]propyl)amino)sulfonyl]-5-bromo-1*H*-indole-2-carboxamide;

3-[(2-[(Aminocarbonyl)amino]ethyl)amino)sulfonyl]-5-bromo-1*H*-indole-2-carboxamide;

5-Bromo-3-{[(2-[(4-bromophenyl)sulfonyl]amino)ethyl]amino)sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(thien-3-ylsulfonyl)amino]ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-{[(2-[(3-chlorobenzyl)sulfonyl]amino)ethyl]amino)sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{[(2-[(2-phenylethyl)sulfonyl]amino)ethyl]amino)sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-methoxybenzoyl)amino]ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-methoxybenzyl)amino]ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-methoxyphenyl)amino]ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-methoxyphenyl)(methylsulfonyl)amino]ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

3-[(2-[Acetyl(4-methoxyphenyl)amino]ethyl)amino)sulfonyl]-5-bromo-1*H*-indole-2-carboxamide;

5-Iodo-3-{[cyclopropyl(methyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

5-Iodo-3-[(cyclopropylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(cyclopropylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Iodo-3-[[methoxy(methyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Chloro-3-[[[(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Bromo-3-[[[(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Iodo-3-[[[(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Chloro-3-[[methyl(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Bromo-3-[[methyl(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Iodo-3-[[methyl(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-([2-(tert-butylthio)ethyl]amino)sulfonyl)-1-*H*-indole-2-carboxamide;

5-chloro-3-[[methyl(tetrahydro-2*H*-pyran-4-yl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-([1-(2,3-dihydro-1,4-benzodioxin-2-yl)ethyl]amino)sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-[(tetrahydro-2*H*-pyran-4-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-[[1,4-dioxan-2-ylmethyl](methyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-([[(3-methyloxetan-3-yl)methyl]amino]sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-[(tetrahydrofuran-3-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-({[(1,1-dioxidotetrahydrothien-3-yl)methyl]amino}sulfonyl)-1H-indole-2-carboxamide;

5-chloro-3-({[2-(3-phenyl-1*H*-1,2,4-triazol-5-yl)ethyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-({[2-(2-methoxyphenyl)ethyl]amino}sulfonyl)-1H-indole-2-carboxamide;

5-chloro-3-({[3-(trifluoromethyl)benzyl]amino}sulfonyl)-1H-indole-2-carboxamide;

5-chloro-3-({[2-(2,3-dihydro-1*H*-indol-1-yl)ethyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-({methyl[(1-methylpiperidin-3-yl)methyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-({[(2,3-dihydro-1,4-benzodioxin-2-ylmethyl) amino]sulfonyl}-1H-indole-2-carboxamide;

5-bromo-3-({[(3-ethoxypropyl) amino]sulfonyl}-1H-indole-2-carboxamide;

3-[( {[2-(aminocarbonyl)-5-bromo-1H-indol-3-yl]sulfonyl} amino) methyl]-1-benzylpyrrolidine;

5-bromo-3-({[(1-benzylpyrrolidin-3-yl)methyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-bromo-3-({[(3-pyridin-3-ylpropyl)amino]sulfonyl}-1*H*-indole-2-carboxamide;

1-[2-({[2-(aminocarbonyl)-5-bromo-1H-indol-3-yl]sulfonyl} amino)ethyl]-4-phenylpiperidine;

5-bromo-3-({[(3-cyclohexylpropyl)amino]sulfonyl}-1H-indole-2-carboxamide;

5-bromo-3-({[(4,4-diphenylbutyl)amino]sulfonyl}-1H-indole-2-carboxamide;

5-bromo-3-({[(3-butoxypropyl)amino]sulfonyl}-1H-indole-2-carboxamide;

5-bromo-3-({[(6,7,8,9-tetrahydro-5H-benzo[a][7]annulen-7-ylmethyl)amino]sulfonyl}-1H-indole-2-carboxamide;

5-bromo-3-({[3-(3,5-dimethyl-1H-pyrazol-1-yl)propyl]amino}sulfonyl)-1H-indole-2-carboxamide;

5-bromo-3-({[3-(4-tert-butoxyphenyl)propyl]amino} sulfonyl)-1H-indole-2-carboxamide;

5-bromo-3-({[4-(4-tert-butoxyphenyl)butyl]amino} sulfonyl)-1H-indole-2-carboxamide;

5-bromo-3-({[(2-methoxy-1-methylethyl)amino]sulfonyl}-1H-indole-2-carboxamide;

5-bromo-3-({[(4-phenylbutyl)amino]sulfonyl}-1H-indole-2-carboxamide;

5-bromo-3-[(2-[(2,6-dichlorobenzyl)thio]ethyl)amino] sulfonyl)-1H-indole-2-carboxamide;


5-bromo-3-({[2-(tert-butylthio)ethyl]amino} sulfonyl)-1H-indole-2-carboxamide;

5-bromo-3-[(6-[(4-chlorobenzyl)amino]-6-oxohexyl)amino)sulfonyl]-1H-indole-2-carboxamide;


or a pharmaceutically acceptable salt or stereoisomer thereof.

5. (Original) The compound according to Claim 4, that is selected from:

5-Chloro-3-{{[ethyl(methyl)amino]sulfonyl}-1H-indole-2-carboxamide




(±)-5-Bromo-3-{{[methyl(tetrahydrofuran-3-yl)amino]sulfonyl}-1H-indole-2-carboxamide







3-({[2-(Aminosulfonyl)ethyl]amino}sulfonyl)-5-bromo-1*H*-indole-2-carboxamide




5-Bromo-3-{{(2-{{(4-methoxyphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide




5-bromo-3-{{(3-butoxypropyl)amino}sulfonyl}-1*H*-indole-2-carboxamide



5-bromo-3-{{(3-(4-tert-butoxyphenyl)propyl)amino}sulfonyl}-1*H*-indole-2-carboxamide



5-chloro-3-({[2-(3-phenyl-1*H*-1,2,4-triazol-5-yl)ethyl]amino}sulfonyl)-1*H*-indole-2-carboxamide



or a pharmaceutically acceptable salt or stereoisomer thereof.

6. (Original) A pharmaceutical composition which is comprised of a compound in accordance with Claim 1 and a pharmaceutically acceptable carrier.

7. (Withdrawn by Examiner) A method of modulating the catalytic activity of protein kinases in a mammal in need thereof comprising contacting the protein kinase with a compound of Claim 1.

8. (Withdrawn by Examiner) The method of Claim 7 wherein the protein kinase is an RTK.

9. (Withdrawn by Examiner) The method of Claim 8, wherein the RTK is selected from IR, IGF-1R and IRR.

10. (Withdrawn by Examiner) A method of treating or preventing a PK-related disorder in a mammal in need thereof comprising administering to said mammal a therapeutically effective amount of a compound of Claim 1.

11. (Withdrawn by Examiner) A method of Claim 10, wherein the PK-related disorder is an IGF-1R-related disorder selected from:

- 1) cancer,
- 2) diabetes,
- 3) an autoimmune disorder,
- 4) a hyperproliferation disorder,
- 5) aging,
- 6) acromegaly, and
- 7) Crohn's disease.

12. (Withdrawn by Examiner) A method of treating cancer in a mammal in need of such treatment comprising administering to said mammal a therapeutically effective amount of a compound of Claim 1.

13. (Withdrawn by Examiner) A method of treating retinal vascularization comprising administering to a mammal in need of such treatment a therapeutically effective amount of a compound of Claim 1.

14. (Withdrawn by Examiner) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a second compound selected from:

- 1) an estrogen receptor modulator,

- 2) an androgen receptor modulator,
- 3) retinoid receptor modulator,
- 4) a cytotoxic agent,
- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor, and
- 10) an angiogenesis inhibitor.

15. (Withdrawn by Examiner) The method of Claim 14, wherein the second compound is an estrogen receptor modulator selected from tamoxifen and raloxifene.

16. (Withdrawn by Examiner) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy.

17. (Withdrawn by Examiner) The method of Claim 16 wherein radiation therapy is also administered.

18. (Withdrawn by Examiner) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 and paclitaxel or trastuzumab.

19. (Withdrawn by Examiner) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 and a GPIIb/IIIa antagonist.

20. (Previously Canceled)

21. (Previously Canceled)

22. (Previously Canceled)

23. (Previously Canceled)